

Promotion ITS 2020


Product at best price.



**ER-103737 Uniblank
10 pieces**




Version Set of 10 units, fitted without machining of body.
Application To mount electrodes and workpieces of various shapes.



**ER-103739 Prisround
10 pieces**




Version Set of 10 units, square 26.5mm, milled, including 2 setscrews for each unit.
Application To mount electrodes and workpieces with a base surface up to 25 mm.



**ER-103742 Uniholder
10 pieces**




Version Set of 10 units, groove 20mm faced, including 2 setscrews for each unit.
Application To mount electrodes and workpieces with shaft-sizes of up to 20 mm.



**ER-103744 Uniplate
10 pieces**




Version Set of 10 units, surface 51 x 51 mm faced, including 2 M6 bolts for each unit.
Application To mount electrodes and workpieces with a base surface of more than 50 mm



**ER-106083 Chucking spigot F/A EDM M10 x 45
for flushing, 10 pieces**




Version Fixed type, automatic. Bolt with flushing hole. Set of 10 spigots.
Application for electrode holder to be changed automatically. For EDM-ing and machining with light cutting force.



ER-034387 Quick Chuck 50




Version System size 50, manual, corrosion-resistant.
Application On WEDM/EDM centres for light milling and grinding work. Max. revolutions on rotating axes 200 min. Clamping power up to 4000 N.



ER-036345 Quick Chuck 100 P




Version System size 100, manual, corrosion-resistant.
 Application Turning, milling, grinding or WEDM/EDM machines, in dividers and fixtures. Clamping power up to 10000 Nm max 3000 rpm.



ER-008638 Sensor with ball ø 5mm
 ER-010562 Sensor with ball ø 2mm




Version Holder with spring-loaded sensing pin and tungsten carbide ball. Overrun protection: X,Y,Z - 1mm. Repetition accuracy: X,Y,Z - 0,002mm.
 Application Automatic measurement of workpiece in CNC EDM - sinking centers.



ER-008566 Collet chuck holder 50



Version System size 50, incl. wrench
 Application For round material up to ø 20mm.



FT-01342 WEDM Ruler set ML



Version The F-Tool ruler set ML is an economic basis equipment with basic rulers 230 mm ML. Suitable for all wire EDM machines with basis zero table edge 30-55 mm.

Set contains - 2 x FT 01780 basic ruler 230 mm ML
 - 2 x FT 01350 front spanner
 - 1 x FT 01352 corner set 85
 - 2 x FT 01376 stopper
 - 2 x FT 01457 spacer plate 100 x 29 x 3 mm
 - 2 x FT 01947 F-Tool spacer plate 60 x 29 x h3 mm
 - comprehensive clamping appliances with support plates / bracets / screws / keys.



FT-01791 WEDM, square block-index-table 80 corrosion-resistant



Application The F-Tool center chuck with spring-steel centering, 90° rasterindexation or stageless indexation with graduation. Able for the direct application on the drilling machine, on the WEDM-machine table with hole pattern 50 mm or to clamp with the F-Tool basic rulers (arbour height 50mm).
 Delivered with a universal index adapter plate 80 with graduation (FT 01792) to adapt the ER chuck 80P (FT-01043), chuck 80 IF3R (FT 01044), collet chuck holder (FT-01580/ FT-01581), electrodes or working pieces.
 Dimension 120 x 79 x 92 mm / Spindle height 50 mm.





SERVICE

SALES

CONSULTING

TECHNICAL SUPPORT

Erowa Technology Sp. z o.o.
Spoldzielcza str. 37-39,
55-080 Katy Wroclawskie POLAND
tel +48 71 3635650
info@erowa.com.pl
www.erowa.com



EROWA[®]
system solutions